

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : OVERTAKE

Design code : A16312B

Product Registration Number : MAPP 20559

Unique Formula Identifier (UFI) : X990-T030-004-8ES1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Herbicide

Recommended restrictions on use : professional use

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited  
CPC4, Capital Park  
Fulbourn, Cambridge CB21 5XE  
United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person responsible for the SDS : customer.services@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

#### Prevention:

- P261 Avoid breathing mist or vapours.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ eye protection/ face protection.

#### Response:

- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version 1.0      Revision Date: 20.03.2023      SDS Number: S00031694422      This version replaces all previous versions.

P391 Collect spillage.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

### Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

Hydrocarbons, C9, Aromatics

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C9, Aromatics	128601-23-0 265-199-0	Flam. Liq. 3; H226 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 30 - < 50
fluroxypyr-meptyl (ISO)	81406-37-3 279-752-9 607-272-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
florasulam (ISO)	145701-23-1 613-230-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version 1.0      Revision Date: 20.03.2023      SDS Number: S00031694422      This version replaces all previous versions.

		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
Hydrocarbons, C9, Aromatics	128601-23-0 265-199-0	Flam. Liq. 3; H226 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 30 - < 50
fluroxypyr-meptyl (ISO)	81406-37-3 279-752-9 607-272-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
florasulam (ISO)	145701-23-1  613-230-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

- Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this  
container or label.  
Do not induce vomiting: contains petroleum distillates and/or  
aromatic solvents.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or  
aromatic solvents.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.

Cool closed containers exposed to fire with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version 1.0      Revision Date: 20.03.2023      SDS Number: S00031694422      This version replaces all previous versions.

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m <sup>3</sup>	Supplier
fluroxypyr-meptyl (ISO)	81406-37-3	TWA	10 mg/m <sup>3</sup>	Supplier
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m <sup>3</sup>	Supplier
fluroxypyr-meptyl (ISO)	81406-37-3	TWA	10 mg/m <sup>3</sup>	Supplier

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C9, Aromatics	Workers	Inhalation	Long-term systemic effects	150 mg/m <sup>3</sup>
		Dermal	Long-term systemic effects	25 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m <sup>3</sup>
		Dermal	Long-term systemic effects	11 mg/kg
	Consumers	Oral	Long-term systemic effects	11 mg/kg
		Hydrocarbons, C9, Aromatics	Workers	Inhalation
Dermal	Long-term systemic effects			25 mg/kg
Consumers	Inhalation		Long-term systemic effects	32 mg/m <sup>3</sup>
	Dermal		Long-term systemic effects	11 mg/kg
Consumers	Oral		Long-term systemic effects	11 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Eye/face protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Face-shield

### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	6.3 Concentration: 100 %w/v  6.76 Concentration: 1 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 100 °C does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.0041 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	> 400 °C
Decomposition temperature	:	No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **Hydrocarbons, C9, Aromatics:**

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

#### **fluroxypyr-meptyl (ISO):**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **florasulam (ISO):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single contact with skin.

#### **Hydrocarbons, C9, Aromatics:**

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

#### **fluroxypyr-meptyl (ISO):**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version 1.0      Revision Date: 20.03.2023      SDS Number: S00031694422      This version replaces all previous versions.

Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### florasulam (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single contact with skin.

### Skin corrosion/irritation

#### Product:

Result : Irritating to skin.

#### Components:

##### Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit  
Result : Mild skin irritation

##### fluroxypyr-meptyl (ISO):

Result : No skin irritation

##### florasulam (ISO):

Species : Rabbit  
Result : No skin irritation

##### Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit  
Result : Mild skin irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### **fluroxypyr-meptyl (ISO):**

Result : No skin irritation

### **florasulam (ISO):**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**

Result : Risk of serious damage to eyes.

#### **Components:**

### **fluroxypyr-meptyl (ISO):**

Result : No eye irritation

### **florasulam (ISO):**

Species : Rabbit  
Result : No eye irritation

### **fluroxypyr-meptyl (ISO):**

Result : No eye irritation

### **florasulam (ISO):**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Result : May cause sensitisation by skin contact.

#### **Components:**

### **fluroxypyr-meptyl (ISO):**

Result : Did not cause sensitisation on laboratory animals.

### **florasulam (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### **fluroxypyr-meptyl (ISO):**

Result : Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### florasulam (ISO):

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### Components:

#### fluroxypyr-meptyl (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

#### florasulam (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects., In vitro tests did not show mutagenic effects

#### fluroxypyr-meptyl (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

#### florasulam (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects., In vitro tests did not show mutagenic effects

### Carcinogenicity

#### Components:

#### fluroxypyr-meptyl (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### florasulam (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### fluroxypyr-meptyl (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### florasulam (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### Reproductive toxicity

#### Components:

##### **fluroxypyr-meptyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **florasulam (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **fluroxypyr-meptyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **florasulam (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT - single exposure

#### Components:

##### **Hydrocarbons, C9, Aromatics:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.,  
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **fluroxypyr-meptyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Hydrocarbons, C9, Aromatics:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.,  
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **fluroxypyr-meptyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### STOT - repeated exposure

#### Components:

##### **fluroxypyr-meptyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **fluroxypyr-meptyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

#### Components:

##### **Hydrocarbons, C9, Aromatics:**

May be fatal if swallowed and enters airways.

##### **Hydrocarbons, C9, Aromatics:**

May be fatal if swallowed and enters airways.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.71 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7.34 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Raphidocelis subcapitata (freshwater green alga)):  
plants 0.653 mg/l  
Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)): 0.821 mg/l  
Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.299  
mg/l

#### Components:

##### **Hydrocarbons, C9, Aromatics:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l  
Exposure time: 96 h



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.9 mg/l  
Exposure time: 72 h
- NOELR (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l  
End point: Growth rate  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOELR: 1.228 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2.144 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### fluroxypyr-meptyl (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.225 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.183 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1.1410 mg/l  
Exposure time: 72 h
- ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.075 mg/l  
Exposure time: 14 d
- NOEC (Myriophyllum spicatum (Eurasian watermilfoil)): 0.031 mg/l  
Exposure time: 14 d
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 0.32 mg/l  
Species: Oncorhynchus mykiss (rainbow trout)
- M-Factor (Chronic aquatic toxicity) : 1

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### florasulam (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 292 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.00942 mg/l  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 100
- Toxicity to fish (Chronic toxicity) : NOEC: 119 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 38.9 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 100

### Hydrocarbons, C9, Aromatics:

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.9 mg/l  
Exposure time: 72 h
- NOELR (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l  
End point: Growth rate  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOELR: 1.228 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2.144 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### fluroxypyr-meptyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.225 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.183 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1.1410 mg/l  
Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.075 mg/l  
Exposure time: 14 d

NOEC (Myriophyllum spicatum (Eurasian watermilfoil)): 0.031 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.32 mg/l  
Species: Oncorhynchus mykiss (rainbow trout)

M-Factor (Chronic aquatic toxicity) : 1

### florasulam (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 292 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.00942 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 119 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test

Toxicity to daphnia and other : NOEC: 38.9 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

### 12.2 Persistence and degradability

#### Components:

##### **Hydrocarbons, C9, Aromatics:**

Biodegradability : Result: Readily biodegradable.

##### **fluroxypyr-meptyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 454 d  
Remarks: Persistent in water.

##### **florasulam (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 98 - 100 d (25 °C)  
pH: 9  
Remarks: Product is not persistent.

##### **Hydrocarbons, C9, Aromatics:**

Biodegradability : Result: Readily biodegradable.

##### **fluroxypyr-meptyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 454 d  
Remarks: Persistent in water.

##### **florasulam (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 98 - 100 d (25 °C)  
pH: 9  
Remarks: Product is not persistent.

### 12.3 Bioaccumulative potential

#### Components:

##### **fluroxypyr-meptyl (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### florasulam (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -1.22

### fluroxypyr-meptyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

### florasulam (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -1.22

## 12.4 Mobility in soil

### Components:

#### fluroxypyr-meptyl (ISO):

Distribution among environmental compartments : Remarks: immobile

#### florasulam (ISO):

Distribution among environmental compartments : Remarks: Very highly mobile in soil.

Stability in soil : Dissipation time: 2 - 18 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### fluroxypyr-meptyl (ISO):

Distribution among environmental compartments : Remarks: immobile

#### florasulam (ISO):

Distribution among environmental compartments : Remarks: Very highly mobile in soil.

Stability in soil : Dissipation time: 2 - 18 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

## 12.5 Results of PBT and vPvB assessment

### Product:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUROXYPYR)  
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

(FLUROXYPYR)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(FLUROXYPYR)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(FLUROXYPYR)

### 14.3 Transport hazard class(es)

**ADR** : 9

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

**ADR**

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

**RID**

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

**IMDG**

Packing group : III

Labels : 9

EmS Code : F-A, S-F

**IATA (Cargo)**

Packing instruction (cargo aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

**IATA (Passenger)**

Packing instruction (passenger aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

### 14.5 Environmental hazards

**ADR**

Environmentally hazardous : yes

**RID**

Environmentally hazardous : yes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	E1	ENVIRONMENTAL HAZARDS
	E1	ENVIRONMENTAL HAZARDS

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## SECTION 16: Other information

### Full text of H-Statements

H226	:	Flammable liquid and vapour.
H304	:	May be fatal if swallowed and enters airways.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Flam. Liq. : Flammable liquids  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 3	H336
STOT SE 3	H335

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## OVERTAKE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	20.03.2023	S00031694422	

---

Aquatic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN